## Indoor Wireless Ceiling Mount Mesh Access Point

WI-AP717MP

### **Overview**

WI-AP717MP Dual-Band AC1200M WiFi Mesh AP is designed to cover your home or small shops, villas, etc in seamless WiFi coverage. provides ample coverage for up to a 1,500 square foot home. For larger homes, simply add a Mesh node to the system for expanded WiFi coverage. It also offers 3 10/100/1000Mbps RJ45 ports, with up to 2 PoE Out ports powering IP Cameras, without running more cabling and achieves more flexible network applications without requiring an external power adapter.

### **Features**

#### **Mesh Technology**

Quickly connect multiple access points without cables or configuration. In this way, Wi-Fi signals can cover entire large apartments, complex units, duplexes, and villas.

#### PoE Out

There are 2 built-in 1000Mbps PoE Output Ports, which can be used and connected to 2 wired IPCs at the same time, and the network cable connection transmits data and power at the same time, without the need for additional.

#### **Fast Roaming**

Enjoy the best signal wherever you go.

#### Fast Dual-Band Wi-Fi

Simultaneous 300 Mbps on 2.4 GHz and 887 Mbps on 5 GHz totals 1200 Mbps Wi-Fi speeds.

#### **Cloud Management**

The free cloud management platform simplifies a lot of equipment management time and reduces network supervision costs for network administrators.

#### SD-LAN

Provide remote network construction experience between headquarters and branches.

#### **Automatically Discover Cameras**

When the device is connected to the camera, the network topology will display the camera, which is convenient for maintenance.

#### **MU-MIMO**

The device supports 802.11ac Wave2 MU-MIMO (multi-user, multiple-input, multiple-output), changing the previously inefficient transmission method where only one terminal could occupy the channel. MU-MIMO allows a device to transmit data to multiple terminals simultaneously. Improves the multi-user experience by 50%, providing all users with extremely fast Internet access.





Datasheet

# **Specifications**

| Products                      | WI-AP717MP   |  |
|-------------------------------|--|--|
| Hardware Version              |  |  |
| Wireless Standards            | IEEE 802.11 ac/n/b/g/a   |  |
| Operating Bands               | 2.4GHz & 5GHz  |  |
| Spatial Streams               | 2.4GHz: 2x2 MIMO 5GHz: 2x2 MIMO  |  |
| Signal Rate                   | Up to 300 Mbps at 2.4GHz Up to 867 Mbps at 5GHz  |  |
| Interface                     | (3)10/100/1000M Base-T LAN Ethernet ports  |  |
| Power Supply                  | 802.3af/at PoE Supported; DC 12V-48V (Not Included)  |  |
| PoE Port                      | 1*PoE In+2 PoE Out   |  |
| Buttons                       | reset button (long press for 8 seconds to restore the factory default configuration)   |  |
| Dimensions                    | 153mm * 147mm * 29mm   |  |
| Environment                   | Operating Temperature: -10°C~55°C<br>Storage Temperature: -40°C~70°C<br>Operating Humidity: 5%~95% (non-condensing)<br>Storage Humidity: 5%~95% (non-condensing) |  |
| Software Features             |  |  |
| Operating Mode                | Router Mode and AP Mode  |  |
| Internet Connection Type      | Static IP, DHCP, PPPoE Dial-Up   |  |
| Network Security              | Guest Wi-Fi Hide SSID Wi-Fi Isolate  |  |
|                               | Parental Control; IP/MAC binding   |  |
|                               | Wireless Security: WPA-PSK/WPA2-PSK/WPA3-SAE   |  |
| Advanced Features             | Mesh: Supports zero-configuration networking of multiple devices, and supports automatic switching between wired and wireless networking for multiple devices.   |  |
|                               | Wi-Fi optimization: Wi-Fi roaming, channel adjustment, power adjustment  |  |
|                               | Firewall: Forbid TCP/UDP flood attack  |  |
|                               | Application: Port Forwarding; SD-LAN; OpenVPN;   |  |
|                               | Software upgrade: Firmware upgrade online or Firmware upgradeable via browser  |  |
|                               | Diagnostics Utilities: Ping; IPV4 Traceroute; Nslookup   |  |
| Management and<br>Maintenance | Support local management with web<br>Support remote management with Wi-Tek Cloud platform  |  |

## **Package Content**

Welcome to order our products. After purchasing, you will receive:

| Items                    | Quantity |
|--------------------------|----------|
| WI-AP717MP               | 1 pcs    |
| Adapter Power Cord       | 1 pcs    |
| PoEAdapter               | 1 pcs    |
| Screw                    | 2 pcs    |
| Pole Mounting Strap      | 2 pcs    |
| Quick Installation Guide | 1 pcs    |



Wireless-Tek Technology Limited Address: Room 402 4F, BiaoFan Technology Building, Bao'An Avenue, FuYong Town, Bao'An district, ShenZhen Website:www.wireless-tek.com Tel:86-0755-32811290 Email:sales@wireless-tek.com Technical Support:tech@wireless-tek.com







**Technical Support** 

**Cloud Management** 

Company Website

©2022 Wireless-tek Technology Limited. All Rights Reserved. Version, V2.0, updated 2022.3.25. The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure

Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.